

FAX COVER SHEETRECEIVED
CENTRAL FAX CENTER
APR 07 2005

TO

COMPANY

FAX NUMBER 17038729306

FROM charles mirho

DATE 2005-04-07 20:23:35 GMT

RE 10/712,350 FSP0036 Amendment and Election

COVER MESSAGE

10/712,350 FSP0036 Amendment and Election

GET FREE ONLINE FAX DELIVERY FROM eFAX
WWW.EFAX.COM


CERTIFICATE OF FACSIMILE TRANSMISSION

for

Attorney Docket Number: FSP0036
Title: EXPANDABLE SCAFFOLD WITH WHEEL LOCK
Application Number: 10/712,350
Filing Date: Thursday, November 13, 2003
First Named Inventor: Winter, Steven
Group Art Unit: 3634
Examiner Name: Chin-Shue, Alvin

I hereby certify that the following is being transmitted via facsimile to telephone number 703-872-9306 on Thursday, April 07, 2005.

Printed name: Charles A. Mirho

Signature: 
04/07/2005 17:07:11

Contents of This Correspondence

4 pages of amendment and election
1 page of Certificate of facsimile

RECEIVED
CENTRAL FAX CENTER
APR 07 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

AMENDMENT AND ELECTION

FOR

Attorney Docket Number: FSP0038
Title: EXPANDABLE SCAFFOLD WITH WHEEL LOCK
Application Number: 10/712,350
Filing Date: Thursday, November 13, 2003
First Named Inventor: Winter, Steven
Group Art Unit: 3634
Examiner Name: Chin-Shue, Alvin

Summary of Office Action

In an office action mailed on March 8, 2005, restriction is required to either of claims 1-11 or claims 12-15.

Summary of Amendments

Amendments have been made to the claims. The amendments to the claims are detailed under the heading "CLAIMS". Deletions are shown in strike-through; additions are underlined.

CLAIMS

1. (Original) A scaffold comprising:
a plurality of legs; and
an expandable platform assembly supported by the legs, the platform assembly comprising at least two shelves, at least one of the shelves sliding in a lengthwise direction in relation to the others in a telescoping fashion.
2. (Original) The scaffold of claim 1, further comprising:
a first shelf comprising a first rail;
a second shelf comprising a second rail; and
the first rail coupled to slide within the second rail, and the first shelf coupled to slide under the second shelf .
3. (Original) The scaffold of claim 2, further comprising:
a rail lock coupled to the outer rail, the rail lock comprising a pin and a spring.
4. (Original) The scaffold of claim 2, further comprising:
the inner rail comprising a flange to support the first shelf;
the outer rail comprising a flange to support the second shelf; and